

LI-PLEX GREASE

NLGI 2, 3

Product Description

High quality greases, produced from Lithium complex soap, anti-rust, anticorrosion and anti-oxidant additives.

Benefits

- Good EP and anti-wear properties.
- Good water resistance.
- Rust and corrosion protection.
- Prevent dust and dirt from reaching into the moving parts.
- Good thermal and oxidation stability.

Applications

- Recommend for using in heavy duty motor vehicles and industrial applications such as wheel bearings, rolling bearings with normal operating temperature up to 150°C

The Moving Innovation 

LI-PLEX GREASE

NLGI 2, 3

Typical Characteristics

Tests	Methods	Units	Results	
NLGI Consistency			2	3
Thickener Type			Lithium Complex	Lithium Complex
Color	Visual		Blue	Blue
Maximum Operating Temperature		°C	180	180
Normal Operating Temperature		°C	160	160
Dropping Point	ASTM D 2265	°C	293	301
Base Oil Viscosity at 40°C	ASTM D 445	cSt	220	220
Water Washout at 79°C	ASTM D 1264	%wt	2.5	1.4
Copper Strip Corrosion, 24h, 100°C	ASTM D 4048		1a	1a
Worked Penetration at 25°C, 1/10 mm	ASTM D 217		267	222
4-Ball EP, Weld Load	ASTM D 2596	Kg _f	315	315
Timken OK Load	ASTM D 2509	lb _f	45	45

Performance Standards

- NLGI

Health and Safety

This product shows no significant health or safety hazard when used under the recommended applications and suitable handling.

Avoid the direct contact. Wash immediately after contact. Health and safety information is available on the Safety Data Sheet (SDS) which can be obtained from <http://pttlubricants.pttor.com>

PTT LUBE SOLUTIONS Professional Lubricant Service Partner



The product can cause some skin irritation and has flash point higher than 93.4°C

Note: Data and information contained in this publication are based on standard test under laboratory conditions and/or performance test. To consider the use of PTT Lubricants' products in particular application, customer is responsible for determining whether product and information are appropriate for customer conditions or should consult with PTT Lubricants' technical service division. The procedure of using any lubricant may differ or change depended on different machines and their manuals. Therefore, we recommend to read, understand and review the latest SDS in order to ensure the use of product is accomplished safety.

The Moving Innovation 