

# PERFORMA GAS TECH

SAE 15W-40

## Product Description

PERFORMA GAS TECH is synthetic technology motor oil formulated to reduce engine oil top-up for long run driving for taxi and van running with CNG/NGV, LPG and gasoline fuel. It has high thermal stability and helps to reduce deposits.

## Benefits

- Provides superior thermal stability, oxidation stability and nitration resistance
- Provides better lubrication and engine wear protection under all operating conditions
- Keeps engines cleaner and protects against deposits and sludge formation
- Reduce engine oil top-up rate for long run driving

## Applications

- Designed for bi-fuel passenger cars using compressed natural gas (CNG/NGV), LPG and gasoline fuel.
- Recommended for vehicles using gasoline, ethanol blended gasoline E10, E20 and E85.

*The Moving Innovation* 

# PERFORMA GAS TECH

SAE 15W-40

## Typical Characteristics

Tests	Methods	Units	Results 15W-40
Density at 15 °C	ASTM D 4052	g/cm <sup>3</sup>	0.869
Kinematic Viscosity at 40 °C	ASTM D 445	mm <sup>2</sup> /s	115.2
Kinematic Viscosity at 100 °C	ASTM D 445	mm <sup>2</sup> /s	15.3
Viscosity Index	ASTM D 2270		138
Cold-Cranking Simulator at -20 °C	ASTM D 5293	mPa.s	5,928
Flash Point (COC)	ASTM D 92	°C	240
Pour Point	ASTM D 5950	°C	-36

## Performance Standards

- API SN

## Health and Safety

This product shows no significant health or safety hazard when used under the recommended applications and suitable handling.

Avoid the direct contact. Wash immediately after contact. Health and safety information is available on the Safety Data Sheet (SDS) which can be obtained from <http://pttlubricants.pttor.com>



The product can cause some skin irritation and has flash point higher than 93.4°C

Note: Data and information contained in this publication are based on standard test under laboratory conditions and/or performance test. To consider the use of PTT Lubricants' products in particular application, customer is responsible for determining whether product and information are appropriate for customer conditions or should consult with PTT Lubricants' technical service division. The procedure of using any lubricant may differ or change depended on different machines and their manuals. Therefore, we recommend to read, understand and review the latest SDS in order to ensure the use of product is accomplished safety.

The Moving Innovation 