

# **AROMEX 3000**

## **Product Description**

AROMEX 3000 is lubricating oil product which is used as raw material for producing goods. They are also used as multipurpose lubricating oil in industrial machine.

#### **Benefits**

- High temperature resistance and anti-oxidation
- Long-lasting life and stable for use
- High solvency

### **Applications**

- Used as raw material in manufacturing that has lubricating oil blended in the products.
- Low to moderate load carrying lubrication
- Drip feed lubrication

The Moving Innovation



## **AROMEX 3000**

Methods	Units	Results
ASTM D 4052-11	g/ml	0.9932
ASTM D 445-11	mm²/s	29.92
ASTM D 92-16	°C	284
ASTM D 97	°C	16
ASTM D 611-12	°C	40
ASTM D 4294	%wt.	3.63
ASTM D 2140-08	%	45
ASTM D 2140-08	%	30
ASTM D 2140-08	%	25
	ASTM D 4052-11 ASTM D 445-11 ASTM D 92-16 ASTM D 97 ASTM D 611-12 ASTM D 4294  ASTM D 2140-08 ASTM D 2140-08	ASTM D 4052-11 g/ml ASTM D 445-11 mm²/s ASTM D 92-16 °C ASTM D 97 °C ASTM D 611-12 °C ASTM D 4294 %wt.  ASTM D 2140-08 % ASTM D 2140-08 %

The above mentioned data are only indication and do not present any guarantee. Any deviations of the data are no reason for claim.

### **Health and Safety**

This product shows no significant health or safety hazard when used under the recommended applications and suitable handling.

Avoid the direct contact. Wash immediately after contact. Health and safety information is available on the Safety Data Sheet (SDS) which can be obtained from http://pttlubricants.pttor.com





Note: Data and information contained in this publication are based on standard test under laboratory conditions and/or performance test. To consider the use of PTT Lubricants' products in particular application, customer is responsible for determining whether product and information are appropriate for customer conditions or should consult with PTT Lubricants' technical service division. The procedure of using any lubricant may differ or change depended on different machines and their manuals. Therefore, we recommend to read, understand and review the latest SDS in order to ensure the use of product is accomplished safety.

